### NEMA 4 - 19" Top Rack Server Enclosure - 3 Door - Air Conditioned

## **NEMACO**<sup>TM</sup>

**Excellent Electrical Enclosures** 



### Nemaco offers the following Great Enclosure Features.

- Easy Access to Equipment: Top Door, Front Door & Bottom Doors are Available
- Adjustable 19" Top & Bottom (2-4 Post) Rack Rails that Fit Most Electrical Equipment.

NEMA 4/12 Type - 19" Top - Rackmount Performance Enclosures

Nemaco offers NEMA 4/12 Type 19" Rackmount Enclosures for rugged applications.
 NEMA 4/12 - Total Sun, Dust, Snow, Freezing Ice & Complete Water Washdown Resistance.
 NEMA 4/12 - Easy Access - 3 Point Turn Latch Handle System. Keylock & Keys Included.
 NEMA 4/12 - Industrial Air Conditioned Cooling Unit with Smart Remote Control Options.
 Nemaco offers NEMA 4/12 Air Conditioners from 1,000 BTU to 8,000 BTU Cooling Capacity.

- •19" Rack Rails: Powder Coated Steel (standard), Aluminum & 304SS (Options) Available.
- •19" Rack Rails: 3/8" Sq. Hole (standard), #10-32 Tapped (Option) for all materials.
- Fantastic Powder Coat Finished ANSI 61 Gray. Other Cool Colors Available.
- Radiant Foam Insulation Barrier R=3.2, 0.5" thk, (R=5, 3/4" thk Option Available)
- Super Fast Customization Services (for holes, cut-outs & cables) are Available.

Note: Powder Coated Steel (3/8" Sq Hole) is the Standard Rack Rail System.

Aluminum Rack Rails & other options can be added to the enclosures.

#### Nemaco Tel. 281-251-4233 NemacoTech.com

Enclosure Part Number	Enclosure Size H x W x D	EIA Rack Space	NEMA 4/12 Rated Air Conditioners * Standard Units, 120 Volts, 60 Hz (A/C units 230 & 480 volts, 50/60 Hz are available)				19" Rack Rail System**	Est. Enclosure Wt (Lbs) without A/C
N4-182408-19TR	18 x 24 x 8	2U	Mini	•	2000 BTU			50.9
N4-182410-19TR	18 x 24 x 10	3U	1000 to 2000 BTU CS011126-04 (30 lbs) Note: Only N4-182408-T3		CS020126-04 (42 lbs) Note: Only N4-182408-T3 or N4-182412-T3		2 Post	55.8
N4-182412-19TR	18 x 24 x 12	6U						60.7
N4-202412-19TR	20 x 24 x 12	4U	Mini	-A/C	Comp	act A/C ) BTU 4 Post -04 (42 lbs)		65.2
N4-202416-19TR	20 x 24 x 16	7U	1000 to 2	.000 BTU	2000 B		4 Post	75.3
N4-202418-19TR	20 x 24 x 18	8U	CS011126-	04 (30 lbs)	CS020126			80.3
N4-242412-19TR	24 x 24 x 12	4U	Mini-A/C 1000 to 2000 BTU (30 lbs) CS011126-04	Compact A/C 2000 BTU CS020126-04 (42 lbs)	1000 BTU NE010126-04 (52 lbs)	1500 BTU NE015126-04 (52 lbs)	4 Post	74.4
N4-242418-19TR	24 x 24 x 18	8U						90.5
N4-242424-19TR	24 x 24 x 24	11U						106.7
N4-302412-19TR	30 x 24 x 12	4U	Mini-A/C 1000 to 2000 BTU (30 lbs) CS011126-04	Compact A/C 2000 BTU CS020126-04 (42 lbs)	1000 BTU NE010126-04 (52 lbs)	1500 BTU NE015126-04 (52 lbs)	4 Post	88.1
N4-302418-19TR	30 x 24 x 18	8U						105.8
N4-302424-19TR	30 x 24 x 24	11U						123.6
N4-362412-19TR	36 x 24 x 12	4U	1000 BTU NE010126-04 (52 lbs)	2000 BTU NE020126-04 (94 lbs)	3000 BTU NE030126-04 (94 lbs)	5000 BTU NE050126-04 (121 lbs)	4 Post	101.8
N4-362418-19TR	36 x 24 x 18	8U						121.1
N4-362424-19TR	36 x 24 x 24	11U						140.5
N4-422412-19TR	42 x 24 x 12	4U	2000 BTU NE020126-04 (94 lbs)	4000 BTU NE040126-04 (94 lbs)	5000 BTU NE050126-04 (121 lbs)	6000 BTU NE060126-04 (121 lbs)	4 Post	115.5
N4-422418-19TR	42 x 24 x 18	8U						136.4
N4-422424-19TR	42 x 24 x 24	11U						157.4

Note: \* Refer to A/C Manufacturer's technical specifications. \*\* 2 - 4 Rack Rails are Available for Enclosures.

### NEMA 4 - 19" Top Rack Server Enclosure - 3 Door - A/C Cooled

## **NEMACO**<sup>TM</sup>

**Excellent Electrical Enclosures** 

#### NEMA 4/12 Type - 19" Top - Rackmount Performance Enclosures



#### **Quality Enclosure Construction**

- Welded Construction for Quality and Strength.
- Quality Epoxy Painted for Outdoor Use.

#### **Inside View of Great Features**

- Four Sided Rain Gutter Protection for each cover.
- Adjustable 19" Rack Rail that Slide for Adjustment.
- 19" Rail Rails: 3/8" Sq Hole, Powder Coat (standard)
- 19" Rail Rails: #10-32 Tapped Available (option)
- Exterior Environmental Gasket is Available
- Air Conditioned Units from 1,000 to 8,000 BTU
- Radiant Foam Insulation Barrier is Available.

NEMA 3R - 19" Rackmount Enclosure - Top & Bottom Rack Rails

Note: Air Conditioner dim. & features will vary from photos.

Nemaco Tel. 281-251-4233


NemacoTech.com

Note: Powder Coated Steel (3/8" Sq Hole) is the Standard Rack Rail System.

Aluminum Rack Rails & other options can be added to the enclosures.

# NEMA 4 - 19" Top Rack Server Enclosure - 3 Door - A/C Cooled

#### NEMA 4/12 Type - 19" Top Rackmount Enclosure Drawing



Call for Pricing & Availability

Nemaco@NemacoTech.com

Note: Powder Coated Steel (3/8" Sq Hole) is the Standard Rack Rail System.

Aluminum Rack Rails & other options can be added to the enclosures.