

NEMA 4/12 - 19" Rackmount Server Cabinet - Powder Coated

NEMACO TM

Excellent Electrical Enclosures



Floor Mount NEMA 4/12 Cabinet

Heavy Duty - NEMA 4/12 - Powdercoated Rack Server Cabinets

- Exceptional - Quality - Rugged Enclosures - designed for - All Weather Outdoor Usage.
- NEMA 4/12 "PCE" Enclosures designed for Toughest Rainy & Wet Environments.
- Heavy Duty - Door Seals - Super "Rain Guard" Protection - Strong & Rigid Door Construction
- NEMA 4/12 Environmental Seals - provide Dust, Snow and Rain Resistance.

NEMA 4/12 - Excellent Craftsmanship - Quality Enclosure Materials


- Easy Access Double Doors - Front & Back - Great for Quick Maintenance & Repair
- 3 PT Latches - Pad Locking Handle - Rolling Wheels - Easy to Use Everyday
- Powdercoated Steel Enclosures - Continuous & Smooth Welded Seams
- Air Conditioned NEMA 4/12 Thermal Cooling Solutions Available (1,000 to 10,000 BTU)
- Adjustable 19" Rack Rails & Lexan Window Kits - Super Fast Custom Solutions
- Custom Colors: White, Light Gray, Dark Gray & Black

Call Nemaco for Pricing & Availability

sales@nemaco.com

Quality Enclosure Solutions

• KEY FEATURES • EXCELLENT QUALITY •



Easy to Open 3 PT Latch Roller Wheels

Rugged Handles - Security Padlock Provision

NEMA 4/12 Rain Gutter



Front & Back Doors for Easy Access

Quad Electrical Outlet Box (Option)

Electrical Gland Cover Plates (option)

Page 1 of 6

Nemaco Technology, LLC. "Nemaco" is a trademark of Nemaco Technology, LLC. All Rights Reserved.

Specifications are subject to change without notice. Rev. X1, 5-2019

NEMA 4/12 - 19" Rackmount Server Cabinet - Powder Coated

NEMACOTM

Excellent Electrical Enclosures

Call Nemaco for Pricing & Availability	Quality Enclosure Solutions
sales@nemaco.com	

Enclosure Part Number	Enclosure Size H x W x D	Mtl Type	NEMA 4/12 Rated Stainless Air Conditioners Standard Units, 120 Volts, 60 Hz (A/C units 230 & 480 volts, 50/60 Hz are available)				Mtl Thk	Estimated Enclosure Wt (Lbs)
N4-242424-FM1DR19	24 x 24 x 24	Steel	1000 BTU NE010126-04 (30 lbs)	1500 BTU NE010126-04 (52 lbs)	1000 to 2000 BTU CS011126-04 (42 lbs)	2000 BTU CS020126-04 (42 lbs)	12 ga	116.5
N4-242430-FM1DR19	24 x 24 x 30	Steel						135.6
N4-242436-FM1DR19	24 x 24 x 36	Steel						154.6
N4-242442-FM1DR19	24 x 24 x 42	Steel						173.6
N4-302424-FM1DR19	30 x 24 x 24	Steel	1000 BTU NE010126-04 (30 lbs)	1500 BTU NE010126-04 (52 lbs)	2000 BTU NE020126-04 (94 lbs)	2000 BTU CS020126-04 (42 lbs)	12 ga	135.6
N4-302430-FM1DR19	30 x 24 x 30	Steel						156.9
N4-302436-FM1DR19	30 x 24 x 36	Steel						178.3
N4-302442-FM1DR19	30 x 24 x 42	Steel						199.7
N4-362424-FM1DR19	36 x 24 x 24	Steel	1000 BTU NE010126-04 (52 lbs)	2000 BTU NE020126-04 (94 lbs)	3000 BTU NE030126-04 (94 lbs)	4000 BTU NE040126-04 (94 lbs)	12 ga	154.6
N4-362430-FM1DR19	36 x 24 x 30	Steel						178.3
N4-362436-FM1DR19	36 x 24 x 36	Steel						202.1
N4-362442-FM1DR19	36 x 24 x 42	Steel						225.8
N4-422424-FM1DR19	42 x 24 x 24	Steel	1000 BTU NE010126-04 (52 lbs)	2000 BTU NE020126-04 (94 lbs)	3000 BTU NE030126-04 (94 lbs)	4000 BTU NE040126-04 (94 lbs)	12 ga	173.6
N4-422430-FM1DR19	42 x 24 x 30	Steel						199.7
N4-422436-FM1DR19	42 x 24 x 36	Steel						225.8
N4-422442-FM1DR19	42 x 24 x 42	Steel						252.0
N4-482424-FM1DR19	48 x 24 x 24	Steel	1000 BTU NE010126-04 (52 lbs)	2000 BTU NE020126-04 (94 lbs)	3000 BTU NE030126-04 (94 lbs)	5000 BTU NE050126-04 (121 lbs)	12 ga	192.6
N4-482430-FM1DR19	48 x 24 x 30	Steel						221.1
N4-482436-FM1DR19	48 x 24 x 36	Steel						249.6
N4-482442-FM1DR19	48 x 24 x 42	Steel						278.1
N4-542424-FM1DR19	54 x 24 x 24	Steel	3000 BTU NE030126-04 (94 lbs)	4000 BTU NE040126-04 (94 lbs)	5000 BTU NE050126-04 (121 lbs)	6000 BTU NE060126-04 (121 lbs)	12 ga	211.6
N4-542430-FM1DR19	54 x 24 x 30	Steel						242.5
N4-542436-FM1DR19	54 x 24 x 36	Steel						273.4
N4-542442-FM1DR19	54 x 24 x 42	Steel						304.3
N4-602424-FM1DR19	60 x 24 x 24	Steel	3000 BTU NE030126-04 (94 lbs)	4000 BTU NE040126-04 (94 lbs)	5000 BTU NE050126-04 (121 lbs)	6000 BTU NE060126-04 (121 lbs)	12 ga	230.6
N4-602430-FM1DR19	60 x 24 x 30	Steel						263.9
N4-602436-FM1DR19	60 x 24 x 36	Steel						297.1
N4-602442-FM1DR19	60 x 24 x 42	Steel						330.4
N4-722424-FM1DR19	72 x 24 x 24	Steel	3000 BTU NE030126-04 (94 lbs)	4000 BTU NE040126-04 (94 lbs)	5000 BTU NE050126-04 (121 lbs)	6000 BTU NE060126-04 (121 lbs)	12 ga	268.6
N4-722430-FM1DR19	72 x 24 x 30	Steel						306.6
N4-722436-FM1DR19	72 x 24 x 36	Steel						344.6
N4-722442-FM1DR19	72 x 24 x 42	Steel						382.7

NEMA 4/12 - 19" Rackmount Server Cabinet - Powder Coated

NEMACOTM


Excellent Electrical Enclosures



NEMA 4/12 Enclosure with Window Kit

Factory Installed - Window Kits - Available for Select Sizes			
Part No.	Size (H x W)	Material*	Min Enclosure (HxW)
LW1010	10"x10"	Lexan	24" x 24"
LW1313	13"x13"	Lexan	24" x 24"
LW1913	19"x13"	Lexan	30" x 24"
LW2513	25"x13"	Lexan	36" x 24"
LW3113	31"x13"	Lexan	42" x 24"
LW3713	37"x13"	Lexan	48" x 24"
LW4313	43"x13"	Lexan	54" x 24"
LW4913	49"x13"	Lexan	60" x 24"
LW6113	61"x13"	Lexan	72" x 24"
Note: * Other polycarbonate materials may be substituted.			
Custom Size Cabinets Available: 15"&19" Wide Windows			

Quality - NEMA 4/12 - Powdercoated Rack Server Enclosures



NEMA 4/12 - 19" Rackmount Server Cabinet - Powder Coated

NEMACOTM

Excellent Electrical Enclosures

Call Nemaco for Pricing & Availability

sales@nemaco.com

Quality Enclosure Solutions




FIG. 2 - NEMA 4/12 - "PCE" POWDERCOATED 19" RACK SERVER ENCLOSURE - CABINET FEATURES

NOTE: Enclosures must be bolted to floor or structure for proper installation.

NEMA 4/12 - 19" Rackmount Server Cabinet - Powder Coated

NEMACOTM

Excellent Electrical Enclosures

Call Nemaco for Pricing & Availability

sales@nemaco.com

Quality Enclosure Solutions




FIGURE 3 DOORS, RACK RAILS & COVER PLATE OPTIONS

REMOVABLE - GLAND PLATE COVER - OPTIONS			
PART#	COVER SIZE	CUT-OUT DIMENSIONS	DESCRIPTION
FP0606-PC	6"x6"	4"x4"	COVER PLATE - POWDERCOATED STEEL (12 GA)
FP0606-PCA	6"x6"	4"x4"	COVER PLATE - POWDERCOATED ALUMINUM (1/8")
FP0606-304SS	6"x6"	4"x4"	COVER PLATE - 304 STAINLESS STEEL (12 GA)
FP0606-316SS	6"x6"	4"x4"	COVER PLATE - 316 STAINLESS STEEL (12 GA)
FP0808-PC	8"x8"	6"x6"	COVER PLATE - POWDERCOATED STEEL (12 GA)
FP0808-PCA	8"x8"	6"x6"	COVER PLATE - POWDERCOATED ALUMINUM (1/8")
FP0808-304SS	8"x8"	6"x6"	COVER PLATE - 304 STAINLESS STEEL (12 GA)
FP0808-316SS	8"x8"	6"x6"	COVER PLATE - 316 STAINLESS STEEL (12 GA)

ASK NEMACO ABOUT - CUSTOM SIZE - GLAND PLATE COVERS

Page 5 of 6

Nemaco Technology, LLC. "Nemaco" is a trademark of Nemaco Technology, LLC. All Rights Reserved.

Specifications are subject to change without notice. Rev. X1, 5-2019

NEMA 4/12 - 19" Rackmount Server Cabinet - Powder Coated

NEMACOTM


Excellent Electrical Enclosures

Call Nemaco for Pricing & Availability


sales@nemaco.com

Quality Enclosure Solutions

FLOORMOUNT FOOTING - OPTIONS



SECTION VIEW B - B
STANDARD FLOOR MOUNT FOOTING
FLOOR MOUNT HOLE DIMENSIONS
BOLT TO CONCRETE PAD OR TO
STEEL STRUCTURE



90 DEG ROTATED FOOTING - OPTION
THIS 90 DEGREE ROTATED FLOOR MOUNT
FOOTING BASE MAY BE WIDENED IN ORDER
TO PROVIDE EXTRA STABILITY & SUPPORT
FOR HEAVY EQUIPMENT

FIGURE 4 FLOORMOUNT FOOTING - CUSTOM OPTIONS AVAILABLE

Rackmount Enclosure Climate Controlled Cooling Solutions

- We offer "Smart" Air Conditioners with Remote Control Access & SCADA Ethernet Communications.
- 1,000 BTU to 20,000 BTU Air Conditioners are available with integrated heating options.

Rackmount Cabinet - Heavy Duty Shelves

- Ask Nemaco about Heavy Duty Shelves & Custom Shelves for your server rack enclosures and cabinets
- Nemaco offers "Custom" Aluminum, Stainless Steel and Powder Coated 19" Rack Shelves.

Aluminum- Outdoor Weather Proof - Rackmount - Server / SCADA - Enclosure & Cabinets - Solutions

- Call US about assisting you with - Custom - Aluminum - 19" Rackmount Enclosures & Cabinets
- We offer Powder Coated Aluminum Cabinets for Telecommunications, SCADA & 19" Server Rack Equipment

Page 6 of 6

Nemaco Technology, LLC. "Nemaco" is a trademark of Nemaco Technology, LLC. All Rights Reserved.

Specifications are subject to change without notice. Rev. X1, 5-2019